
Netrack wall cabinet F-Line Rack 19", 18U/600x600mm - gray, glass doors, opening sides



Product price:

**PLN619.00 tax
included**

Product codes:

Reference: 019-180-66-021

EAN13: 5908268779049

UPC: -

Product features:

Basic dimensions: 19 "/ 18U

Load capacity: 100 kg

Front door: glazed with a lock

Rear: steel cover, removable

Height [mm]: 903

Width [mm]: 600

Depth [mm]: 600

Weight [kg]: 35.2

Height of the packed product [mm]: 910

Width of the packed product [mm]: 620

Depth of the packed product [mm]: 210

Weight of the packed product [kg]: 36.8

Rack rails: 4

Rack rail position adjustment: any position to the full extent

Product assembled / requires assembly: requires assembly - easy, intuitive assembly

Possibility to install fans: 2x 120x120mm (105x105mm) fan, 19 "ventilation panel
Youtube video id: zBy2DZsUKFU
Color: gray
Color code: RAL 7035
Wardrobe line: F-Line

Product short description:

Hanging rack cabinets - a professional solution for installing computer networks. Organize and secure your home or business network. Rack 19" the most universal system for installing devices for various applications. It gives the possibility of extensive expansion and configuration. F-Line is a line of cabinets that guarantees the best service parameters. Stable construction, 4 rack rails, open sides guarantee reliability and comfort in the most demanding installations.

Product description:

The most important features of F-Line 19" hanging cabinets

- stable and durable construction
- Easy and quick assembly
- holes for convenient wall mounting
- ventilation openings in the roof and floor for natural ventilation and for optional installation of fans (roof) (100-005-001-100) with a thermostat (100-005-001-022)
- removable side panels for convenient access to devices
- possibility of locking the possibility of opening the side panels from the outside through an internal lock
- possibility of installing optional locks in the side panels. (119-000-000-003)
- 4 rack rails ensuring safe installation of larger devices and giving the possibility of mounting smaller devices in 2 planes. E.g. a power panel behind a switch or patch panel
- wide range of rail position adjustment
- a wide selection of carefully selected and matched accessories
- the possibility of mounting the door as right or left

-
- door opening 220°
 - tempered glass door
 - the possibility of taking a picture of the back wall
 - openings in the floor and roof for cable entry

Technical parameters:

- product line: F-Line
- basic dimensions 19"/18U
- height [mm] 903
- width [mm] 600
- depth [mm] 600
- back: closed, can be opened
- side opening: *yes, lock o from the inside, lock - option*
- number of rack rails: 4
- rack rails adjustment: yes, fully adjustable
- possibility of mounting fans: yes, 2x120x120mm (105x105mm)
- Libra [kg] 35.2
- carrying capacity [kg]: 100
- color: gray RAL 7035
- Manufacturing standards: Compliance with ANSI/EIA RS-310-D, DIN41491 PART1, IEC297-2, DIN41494 PART7, GB/T3047.2-92
- Compatibility with standards: ETSI metric and international 19". Adaptation to general parameters 10" - no standard.

Packaging:

-
- packaging dimensions: 620/210/910mm
 - weight in the package: 36.8 kg

Contents of the package:

- *floor/roof - 2 pcs.*
- *sides - 2 pcs.*
- *front door - 1 pc.*
- *rear cover - 1 pc.*
- *frame - 2 pcs.*
- *rack rails - 4 pcs.*
- *door lock with keys*
- *Rack screws - 15 sets*
- *Screws for assembly*

Product details

- Mark Netrack
- product line: F-Line
- EAN 5908268779049
- Index 019-180-66-021

See also:

- *shelf - max, depth 450mm*
- *Rack screws*
- *ventilation panels and thermostats*
- *wire organizers*
- *19" PDU power strip*

-
- patch panels
 - other accessories for RACK cabinets
-

All available product lines:

- F-Line, 19", 6-18U open sides, removable back, 4x rack rail, to be assembled.
- S Line, 10 and 19", 4.5-9U open back, 2x RACK rail, rigid, welded construction, ready to install.
- ECO Line, 19" 4-9U, open back, 2x RACK rails, to be assembled. The most economical solution.
- V-Line, 19" 2-3+4U, vertical mounting. The only cabinets with a minimum depth of 120mm to accommodate 19" devices.

Comparison table:

Product attributes: