
Netrack microATX/ATX server case, 482*177*450mm, 4U, 19"

Product price:

**PLN351.48 tax
included**



Product codes:

Reference: NP5105
EAN13: 5908268778202
UPC: -

Product features:

Basic dimensions: 19 "/ 4U

Height [mm]: 177

Width [mm]: 482

Depth [mm]: 450

Weight [kg]: 9.6

Height of the packed product [mm]: 560

Width of the packed product [mm]: 525

Depth of the packed product [mm]: 245

Weight of the packed product [kg]: 10

Height U: 4

Recommended minimum 19 " [mm] rack depth: 700 (minimum recommended 600)

Motherboard formats: ATX, microATX, mini-ITX

Max. plate dimensions: 12 "x9.6"

Place for power supply: PS-2 ATX PSU

Number of internal bays: 8x3.5 "

Number of external bays: 3x5.25 "

Expansion card slots: 7 x full height

Top ventilation duct: front / rear ventilation
Fans fitted: 1x120x120mm
Space for additional fans: 2x60x60mm
Dust filter: replaceable
Material - housing: durable and stiff 1mm SGCC steel
Fabric - front: durable and stiff 1mm SGCC steel
Fabric - handles: steel / ABS
Housing color (front, sides, top): black
Housing color (interior, rear, bottom): black
The color of the handles: black

Product short description:

Server case for economical and optimal solutions

Product description:

Rack server case with a height of 4U and a depth of 450mm. Allows you to mount ATX, micro ATX, mini ITX motherboards. Provides space for 8 3.5" devices inside and 3 places 5.25" with access from the outside of the housing. Allows mounting up to 7 PSI expansion cards in full height. Properly designed cooling and ventilation system. To ensure proper working conditions for devices installed in the housing , distances must be maintained to allow adequate ventilation (min 150mm) and appropriate ambient temperature. In industrial applications, attention should be paid to dust and chemical pollution. **The Rack server enclosure** is intended for building servers and computers working in offices, warehouses, server rooms, industrial plants and production.

Rack server case - the most important information

- housing type: 19" rack , 4U
- sizes of boards to be mounted: ATX, micro ATX, mini ITX
- number of external bays: 3x5.25"
- number of internal bays: 8x3.5"
- recommended depth of 19" Rack cabinet: 700mm (minimum 600mm)
- Systems and devices

Rack 19" server cases are most often configured

- servers supporting sales systems
- servers supporting warehouse and accounting systems
- application servers

-
- database servers
 - database and application servers
 - servers and computers supporting production processes
 - print servers supporting processes on multiple printers

The most important features

- convenient installation, operation and service
- very good working conditions for server components
- ventilation openings on 2 or 3 sides of the housing
- possibility of mounting in 19" Rack racks
- the possibility of mounting slide rails to pull out the housing: NP5114
- only for models 04 and 05:
 - replaceable dust filter
 - key-locked housing

Execution

- housing: durable and rigid SGCC 1mm steel
- handles: steel/ABS
- front: durable and rigid SGCC 1mm steel
- housing color (front, sides, top): black
- housing color (inside, back, bottom): black
- handle color: black

Rack server case - technical parameters

- dimensions (width/height/depth): 482/177/450mm
- weight: 9.5 kg
- recommended depth of 19" Rack cabinet: 700mm (minimum 600mm)
- Motherboard format: ATX, micro ATX, mini ITX
- maximum motherboard dimensions: 12"x9.6"
- power adapter: none
- space for power supply: PS-2 ATX PSU
- number of internal bays: 8x3.5"
- number of external bays: 3x5.25"
- expansion card slots: 7 x full height
- upper ventilation channel: does not have
- mounted fans: 1x120x120mm
- space for additional fans: 2x60x60mm
- dust filter: replaceable
- indicators: Power, HDD
- switches: Power, Reset
- front sockets: 2 x 2.0 USB (3.0 - option)
- security: lockable
- working temperature: 0-50°C

Contents of the package

- folded housing packed in a cardboard box with protection
- screws and mounting elements
- fans (mounted in the housing)
- wires for connecting fans, switches and indicators
- dimensions of the packed product: H/W/D 245/525/560mm
- weight with packaging: 10 kg

see also

- slide rails for sliding the housing out: NP5115
- Rack screws 4 pcs
- Rack screws 50pcs.
- matching 19" wall cabinets: 600mm (minimum recommended 700)
- matching 19" server cabinets, standing: 600mm (minimum recommended 700)
- power supplies for server cases
- fans
- dust filters

Product attributes: