
Netrack ECO-Line Wall Mounted Rack 19" 6U 350mm + SHELF 150mm GRAY



Product price:

PLN269.87 tax included

Product codes:

Reference: 519-060-350-011E-150

EAN13: -UPC: -

Product features:

Product short description:

Product description:

The most important features of ECO-Line hanging rack cabinets

- stable construction
- easy and quick assembly
- holes for convenient wall mounting

•

optional installation of fans (roof) (100-005-001-100) with a thermostat

- 2 rails for safe installation of devices
- wide range of Rack 19" rails position adjustment 3 or 4 positions
- a wide selection of carefully selected and matched accessories
- the possibility of mounting the door as right or left
- door opening 220°°
- tempered glass door
- openings in the floor and roof for cable entry

Technical parameters

- product line: ECO-Line
- basic dimensions 19"/ 6U
- height [mm] 330
- width [mm] 520
- depth [mm] 350
- back: open
- side opening: *no*
- number of rack rails: 2
- adjustable rack rails: yes, 3 positions
- possibility of mounting fans: yes, 2x120x120mm (105x105mm screw spacing)
- weight [kg] *5*
- load capacity [kg] : 40
- grey colour
- RAL 7035
- Standards: Compliant with ANSI/EIA RS-310-D, DIN41491 PART1, IEC297-2, DIN41494 PART7, GB/T3047.2-92
- Compatibility with standards: ETSI metric and international 19". Adaptation to general parameters 10" no standard

- packaging dimensions: 570/400/100mm
- weight in the package: 5.31 kg

Contents of the package:

- floor/roof 2 pcs.
- sides 2 pcs
- front door 1 pc
- rack rails 2 pcs
- keys to the lock
- instruction
- assembly key

Product details

- Brand: Netrack
- product line: ECO-Line

All available product lines

- F-Line , 19", 6-18U, open sides, removable back, 4x RACK rail , to be assembled
- S-Line , 10 and 19", 4.5-9U open back, 2x RACK rail, rigid, welded construction, ready to install
- ECO-Line , 19" 4-9U, open back, 2x RACK rails, to be assembled. The most economical solution
- V-Line , 19" 2-3+4U, vertical mounting. The only cabinets with a minimum depth of 120mm to accommodate 19" devices

Product attributes: