

---

# Netrack ECO-Line Rack 19", 6U/450mm - black, metal door



## Product price:

**PLN262.59 tax included**

## Product codes:

Reference: 019-060-450-112E

EAN13: 5908268777908

UPC: -

## Product features:

Basic dimensions: 19 "/ 6U

Load capacity: 40 kg

Front door: full steel with a lock

Rear: open

Height [mm]: 375

Width [mm]: 520

Depth [mm]: 450

Weight [kg]: 4.4 kg

Height of the packed product [mm]: 570

Width of the packed product [mm]: 400

Depth of the packed product [mm]: 100

Weight of the packed product [kg]: 4.7 kg

Rack rails: 2

Rack rail position adjustment: 3 positions

Product assembled / requires assembly: requires assembly - easy, intuitive assembly

Possibility to install fans: 2x 120x120mm (105x105mm) fan, 19 "ventilation panel

Color: black

---

Color code: RAL 9005  
Wardrobe line: ECO Line

### Product short description:

**Hanging rack cabinets 19** - a professional solution for the installation of computer networks. Organize and secure your home or business network. Standard Rack 19" is the most universal system for installing devices for various applications. It gives the possibility of extensive expansion and configuration. **ECO-Line** is an economical solution combining professional assembly and ease of installation.

### Product description:

The most important features of ECO-Line hanging rack cabinets

- stable construction
- easy and quick assembly
- holes for convenient wall mounting
- ventilation openings in the roof and floor for natural ventilation and for optional installation of fans (roof) (100-005-001-100) with a thermostat (100-005-001-022)
- 2 rails for safe installation of devices
- wide range of **Rack 19" rails** position adjustment - 3 or 4 positions
- a wide selection of carefully selected and matched accessories
- the possibility of mounting the door as right or left
- door opening 220°
- tempered glass door
- openings in the floor and roof for cable entry

### Technical parameters

- product line: **ECO-Line**
- basic dimensions 19"/ 6U
- height [mm] 375
- width [mm] 520
- depth [mm] 450
- back: open
- side opening: *no*
- number of rack rails: 2
- Rack rail adjustment: yes, 3 positions
- possibility of mounting fans: yes, 2x120x120mm (105x105mm - screw spacing)
- weight [kg] 4.4
- Standards: Compliant with ANSI/EIA RS-310-D, DIN41491 PART1, IEC297-2,

---

DIN41494 PART7, GB/T3047.2-92

- Compatibility with standards: ETSI metric and international 19". Adaptation to general parameters 10" - no standard

## Packaging

- packaging dimensions: 570/400/100mm
- weight in the package: 6 kg

## Contents of the package:

- floor/roof - 2 pcs.
- sides - 2 pcs
- front door - 1 pc
- rack rails - 2 pcs
- keys to the lock
- instruction
- assembly key

## see also

- shelves, max. depth 200mm
- rack screws
- fans and thermostats
- cable organizers
- 19" PDU power strip
- patch panels
- other accessories for RACK cabinets

## All available product lines

- F-Line , 19", 6-18U, open sides, removable back, 4x RACK rail , to be assembled
- S-Line , 10 and 19", 4.5-9U open back, 2x RACK rail, rigid, welded construction, ready to install
- ECO-Line , 19" 4-9U, open back, 2x RACK rails, to be assembled. The most economical solution
- V-Line , 19" 2-3+4U, vertical mounting. The only cabinets with a minimum depth of 120mm to accommodate 19" devices

## comparison table

## Product attributes: